



FT2839

Full Extension Concealed Ball Bearing Slide

(Spec.) : 260mm(10")–560mm(22")

(Load) : 30kg/18"




LENGTH	SLIDE TR	VER	A	B	C	D
SIZE	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
10"	260	250	96			
12"	310	300	96			
14"	360	350		128		
16"	410	400		128		
18"	460	450		128	192	
20"	510	500		128		224
22"	560	550				224

FT3951

Full Extension Concealed Ball Bearing Slide

(Spec.) : 260mm(10")-560mm(22")

(Load) :30kg/18"




FT3952

Full Extension Concealed Ball Bearing Slide

(Spec.) : 260mm(10")-560mm(22")

(Load) :30kg/18"



VOLAR®

Kin Kei Hardware Industries Ltd.

Manufacturer, Importer & Exporter

Address: Rm704, 7/F, Eastern Centre, 1065 King's Road, Tai Koo, Hong Kong

Tel: (852) 2561 6788

Fax: (852) 2563 9115

E-mail address: kinkei@hardware.com.hk

Website: www.hardware.com.hk



FT3953

Full Extension Concealed Ball Bearing Slide

(Spec.) : 260mm(10")-560mm(22")

(Material) : (Cold Rolled Steel)

(Load) : 35kg/18"



VOLAR[®]

Kin Kei Hardware Industries Ltd.

Manufacturer, Importer & Exporter

Address: Rm704, 7/F, Eastern Centre, 1065 King's Road, Tai Koo, Hong Kong

Tel: (852) 2561 6788

Fax: (852) 2563 9115

E-mail address: kinkei@hardware.com.hk

Website: www.hardware.com.hk

FT3954

Standard Drawer

(Spec.) : 400mm(16") 、 450(18") 、 500mm(20")

(Material) : (Cold Rolled Steel)

(Color) : (White) 、 (Grey)



FT3902

Single Extention Concealed Slide

(Spec.) : 300mm(12")–550mm(22")


(Load) : 30kg/18"



FT3806

76mm Full Extension Heavy Duty Ball Bearing Slide

(Width): 76.2mm
(Spec.): 254mm (10") - 1524mm (60")
(Load): 227 kg / 18"
(Material) (Cold Rolled Steel)
(Finish): (Electroplate), (Blue Zinc), (Colored Zinc)



LENGTH		SLIDE TRAVEL (mm)	A	B	C	D	E	F	G	H	J	K	M	N	P	Q	R	S
SIZE	(mm)		(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
10	254	255							103.1	128.5	147.6	166.6				152.4	209.6	228.6
12	304.8	304.8							153.9	179.3	198.4	217.4				203.2	260.4	279.4
14	355.6	355.6							204.7	230.1	249.2	268.2				254	311.2	330.2
16	406.4	406.4	127						255.5	280.9	299.9	319				304.8	361.9	381
18	457.2	457.2	127					246.1	306.3	331.7	350.8	369.8				355.6	412.8	431.8
20	508	508	127	190.5				296.9	357.1	382.5	401.6	420.6				406.4	463.6	482.6
22	588.8	588.8	127	190.5				347.7	407.9	433.3	452.4	471.4				457.2	514.4	533.4
24	609.6	609.6	127	190.5				398.5	458.7	484.1	503.2	522.2				508	565.2	584.2
26	660.4	660.4	127	190.5				449.3	509.5	534.9	553.9	573				558.8	615.9	635
28	711.2	711.2	127	190.5				500.1	560.3	585.7	604.8	623.8				609.6	666.8	685.8
30	762	762	127	190.5	368.3			550.9	611.1	636.5	655.6	674.6	235		501.6	660.4	717.6	736.6
32	812.8	812.8	127	190.5	368.3			601.7	661.9	687.3	706.4	725.4	235	393.7	552.5	711.2	768.4	787.4
34	863.6	863.6	127	190.5	368.3	469.9		652.5	712.7	738.1	757.2	776.2	235	419.1	603.3	762	819.2	838.2
36	914.4	914.4	127	190.5	368.3	520.7		703.3	763.5	788.9	808	827	235	444.5	654.1	812.8	870	889
38	956.2	956.2	127	190.5	368.3	520.7		754.1	814.3	839.7	858.8	877.8	235	469.9	704.9	863.6	920.8	939.8
40	1016	1016	127	190.5	368.3	520.7		804.9	865.1	890.5	909.6	928.6	235	495.3	755.7	914.4	971.6	990.6
42	1066.8	1066.8	127	190.5	368.3	520.7		855.7	915.9	941.3	960.4	979.4	235	520.7	806.5	965.2	1022.4	1041.4
44	1117.6	1117.6	127	190.5	368.3	520.7		906.5	966.7	992.1	1011.2	1030.2	235	546.1	857.3	1016	1073.2	1092.2
46	1168.4	1168.4	127	190.5	368.3	520.7		957.3	1017.5	1042.9	1062	1081	235	571.5	908.1	1066.8	1124	1143
48	1219.2	1219.2	127	190.5	368.3	520.7	825.5	1008.1	1068.3	1093.7	1112.8	1131.8	235	596.9	958.8	1117.6	1174.8	1193.8
50	1270	1270	127	190.5	368.3	520.7	825.5	1058.9	1119.1	1144.5	1163.6	1182.6	235	596.9	958.8	1168.4	1225.6	1244.6
52	1320.8	1320.8	127	190.5	368.3	520.7	825.5	1109.7	1169.9	1195.3	1214.4	1233.4	235	596.9	958.8	1219.2	1276.4	1295.4
54	1371.6	1371.6	127	190.5	368.3	520.7	825.5	1160.5	1220.7	1246.1	1265.2	1284.2	235	596.9	958.8	1270	1327.2	1346.2
56	1422.4	1422.4	127	190.5	368.3	520.7	825.5	1211.3	1271.5	1296.9	1316	1335	235	596.9	958.8	1320.8	1378	1397
58	1473.2	1473.2	127	190.5	368.3	520.7	825.5	1262.1	1322.3	1347.7	1366.8	1385.8	235	596.9	958.8	1371.6	1428.8	1447.8
60	1473.2	1473.2	127	190.5	368.3	520.7	825.5	1312.9	1373.1	1398.5	1417.6	1436.6	235	596.9	958.8	1422.4	1479.6	1498

FT3912

53mm Full Extension Heavy Duty Ball Bearing Slide




(Width) : 53.6mm

(Spec.) : 12" - 40"

(Load) : 100 kg / 18"

(Material) : (Cold Rolled Steel)

(Finish) : (Electroplate) ,(Blue Zinc) ,(Colored Zinc) ,(Black Zinc)



SIZE	LENGTH (mm)	SLIDE TRAVER (mm)	A2 (mm)	A3 (mm)	A4 (mm)	A5 (mm)	LC (mm)	C1 (mm)	C2 (mm)	C3 (mm)	C4 (mm)
12	305	305				153.9	305				200.9
14	355.5	355.5				204.7	355.5				251.7
16	406.5	406.5				255.5	406.5				302.5
18	457	457				306.3	457				353.3
20	508	508				357.1	508				404.1
22	559	559				407.9	559				454.9
24	609.5	609.5				458.7	609.5				505.7
26	660.5	660.5				509.5	660.5				556.5
28	711	711				560.3	711				607.3
30	762	762	190.5	368.3		611.1	762	235		501.6	658.1
32	813	813	190.5	368.3		661.9	813	235	393.7	552.5	708.9
34	863.5	863.5	190.5	368.3		712.7	863.5	235	419.1	603.3	759.7
36	914.5	914.5	190.5	368.3	520.7	763.5	914.5	235	444.5	654.1	810.5
38	965	965	190.5	368.3	520.7	814.3	965	235	469.9	704.9	861.3
40	1016	1016	190.5	368.3	520.7	865.1	1016	235	495.3	755.7	912.1



FT3955

53mm Self-closing Heavy Duty Ball Bearing Slide




(Width) : 53.6mm

(Spec.) : 305mm (12") - 711 (28")

(Load) : 75k g/18"

(Material) : (Cold Rolled Steel)

(Finish) : (Electroplate) (Blue Zinc), (Colored Zinc), (Black Zinc)





LENGTH		SLIDE TRAVEL	A2	LC	C1
SIZE	(mm)				
12	305	304.8	168.5	305	135.6
14	356	355.6	194	356	186.4
16	406	406.4	232.5	406	237.2
18	457	457.2	283.3	457	288
20	508	508	334.1	508	338.8
22	559	558.8	384.9	559	389.6
24	610	609.6	435.7	610	440.4
26	660	660.4	486.5	660	491.2
28	711	711.2	537.3	711	542



53mm Heavy Duty Ball Bearing Slide for High Kitchen Drawer Basket

(Finish): (Electroplate) (Blue Zinc), (Colored Zinc), (Black Zinc)



LENGTH		SLIDE TRAVEL
SIZE	(mm)	(mm)
17"	425	425



FT1432

45mm Full Extension Ball Bearing Slide



(Width): 45.7 mm

(Spec.): 252 mm (10") - 602 mm (24")

(Load): 45 kg / 18"

(Material): (Cold Rolled Steel)

(Finish): (Electroplate): (Blue Zinc) Colored Zinc (Electrophoresis) (Black)



LENGTH	SLIDE TRAVEL	A	B	C	D	E	F	G	G
SIZE	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
10"	252	260						200	222
12"	302	310				251	285	228	158
14"	352	360		336		251	317	255	188
16"	402	410		385	352	251	381	276	210
18"	452	460		437	384	251	412	300	220
20"	502	510		437	384	251	477	327	253
22"	552	560	533	480	386	352	251	611	354
24"	602	610	582	530	438	384	251	538	386

VOLAR®

Kin Kei Hardware Industries Ltd.

Manufacturer, Importer & Exporter

Address: Rm704, 7/F, Eastern Centre, 1065 King's Road, Tai Koo, Hong Kong

Tel: (852) 2561 6788

Fax: (852) 2563 9115

E-mail address: kinkei@hardware.com.hk

Website: www.hardware.com.hk



FT3957

45mm Full Extension Ball Bearing Slide




(Width): 45.7 mm

(Spec.): 252 mm (10") – 602 mm (24")

(Load): 45 kg / 18"

(Material): (Cold Rolled Steel)

(Finish): (Electroplate) (Blue Zinc), (Colored Zinc) (Electrophoresis) (Black)



LENGTH	SLIDE TR AVER	A	B	C	D	E	F
SIZE	mm(L)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
10"	252	252	160		169		
12"	302	302	224		96	128	
14"	352	352	224		128	128	
16"	402	402	224	288	128	192	
18"	452	452	224	352	160	192	
20"	502	502	224	352	416	192	224
22"	552	552	224	352	416	224	256
24"	602	602	224	352	480	224	288
26"	652	652	224	352	544	192	224
28"	702	702	224	384	576	192	224



FT3958

45mm Self-closing Full Extension Ball Bearing Slide



(Width) : 45.7 mm

(Spec.) : 252 mm (10") - 602 mm (24")

(Load) : 45 kg / 18"

(Material) : (Cold Rolled Steel)

(Finish) : (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)



LENGTH	SLIDE TR	VER	A	B	C	D
SIZE	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
16"	402	402	224		128	128
18"	452	452	256		128	128
20"	502	502	288		160	192
22"	552	552		352	192	192
24"	602	602		352	192	256



FT3905

45mm Soft-closing Ball Bearing Slide


(Width) : 47.5 mm

(Spec.) : 400 mm (16") - 600 mm (24")


(Load) : 25 kg / 18"

(Material) : (Cold Rolled Steel)

(Finish) : (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)



LENGTH		SLIDE TRAVEL L1	A2	A3	C1	C2	C3
SIZE	(mm)						
14"	351	275	160		64		
16"	401	321	192		128		
18"	451	401	128	128	160		
20"	501	461	128	160	128	224	
22"	551	511	192	128	128		192
24"	601	561	192	160	160		256



FT3959

45mm Full Extension Ball Bearing Slide



(Width) : 45.7mm

(Spec.) : 302mm(12")-502mm(20")

(Load) : 45kg/18"

(Material) : (Cold Rolled Steel)

(Finish) : (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)



LENGTH SIZE	(mm)	SLIDE TRAVEL (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)	F (mm)
12"	302	310	47.5	207	270	225	155	50
14"	352	360	38	277	317	255	190	60
15"	375	400	38	298	317	270	190	60
16"	402	410	38	327	380	275	210	60
18"	452	460	38	375	410	300	220	60
20"	502	510	73	357	480	335	271	62

FT3960

45mm Full Extension Ball Bearing Slide




(Width) : 45.7mm

(Spec.) : 352mm (14") - 452mm (18")

(Load) : 45kg/18"

(Material) : (Cold Rolled Steel)

(Finish) : (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)



LENGTH		SLIDE TRAVEL		A	B	C	D	E
SIZE	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
14"	352	360	117	117	254	60	230	
16"	402	410	35	335	275	63	260	
18"	452	460	116	220	302	93	260	



FT3961

45mm Full Extension Ball Bearing Slide



(width) 45.7mm

(spec.) : 302mm(12")-602mm(24")

(load) : 45kg/18"

(material) : (Cold Rolled Steel)

(finish) : (electroplate) , (blue Zinc) , (colored Zinc) , (electrophoresis) , (black)



LENGTH	SLIDE TRAVEL	A	B	C	D	E	F	G	H	I	J	K
SIZE	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
12"	302	302					256	160	160		227	80
14"	352	352				335	256	160	143	8.25	255	110
16"	402	402			385	352	256	160	322	8.25	275	36
18"	452	452			437	385	256	160	390	8.25	302	65
20"	502	502			437	385	256	160	322	8.25	325	55
22"	552	552	533	480	385	350	256	160	390	8.25	355	80
24"	602	602	583	530	437	385	256	160	390		385	106



FT3962

45mm Full Extension Ball Bearing Slide



(Width) : 45.7 mm

(Spec.) : 352 mm (14") - 452 mm (18")

(Load) : 45 kg / 18"

(Material) : (Cold Rolled Steel)

(Finish) : (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)



LENGTH	SLIDE TR	VER	A	B	C	D
SIZE	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
14"	352	360	66	221	225	50
15"	375	400	66	221	270	59
16"	402	410	90	223	275	70
18"	452	460	67	300	302	101



FT3963

45mm Full Extension Ball Bearing Slide



(Width) : 45.7 mm

(Spec.) : 452 mm (18") - 502 mm (20")

(Load) : 45 kg / 18"

(Material) : (Cold Rolled Steel)

(Finish) (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)



LENGTH		SLIDE TRAVEL	A	B	C	D
SIZE	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
18"	452	460	47.5	353	300	48
20"	502	510	76	353	323	73



FT3964

45mm Full Extension Ball Bearing Slide



(Width) : 45.7 mm

(Spec.) : 402 mm (16") - 502 mm (20")

(Load) : 45 kg / 18"

(Material) : (Cold Rolled Steel)

(Finish) : (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)



LENGTH	SLIDE TRAVEL		A	B	C	D	D	D	D
SIZE	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
16"	402	410	72.5	257	380	287.5	277	195	60
20"	502	510	82.5	33	415		327	238	61



FT3545

45mm Bayonet Mount Full Extension Ball Bearing Slide



(Width) : 45.7 mm

(Spec.) : 560 mm

(Load) : 45 kg / 18 "

(Material) : (Cold Rolled Steel)

(Finish) : (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)



LENGTH		SLIDE TRAVEL		A	B
SIZE	mm(L)	(mm)	(mm)	(mm)	(mm)
16"	402	402		250	290
18"	452	452		275	315
20"	502	502		300	340
22"	552	552		325	365
24"	602	602		350	390



FT3168

35mm Full Extension Ball Bearing Slide



(Width) : 35.6 mm

(Spec.) : 250 mm (10") - 500 mm (20")

(Load) : 35 kg / 18"

(Material) : (Cold Rolled Steel)

(Finish) : (Electroplate)(Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)



LENGTH		SLIDE TRAVEL (mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
SIZE	(mm)						
10"	250	256	146		64		108
12"	300	306	64	196	64		158
14"	350	356	96	246	64	144	208
16"	400	406	128	296	96	162	258
18"	450	456	160	346	128	180	308
20"	500	506	192	396	160	198	358

FT 3705**35mm Keyboard Slide**


(Width) : 35mm

(Spec.) : 348mm(14")

(Load) : 25kg

(Material) : (Cold Rolled Steel)

(Finish) : (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)

**FT2391****35mm Keyboard Slide**


(Width) : 35mm

(Spec.) : 352mm(14")

(Load) : 25kg

(Material) : (Cold Rolled Steel)


(Finish) : (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)



FT3965

35mm Keyboard Slide


(Width) : 35 mm
 (Spec.) : 359 mm (14")
 (Load) : 25 kg
 (Material) : (Cold Rolled Steel)
 (Finish) : (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)



FT3966

35mm TV Slide

(Width) : 35 mm
 (Spec.) : 352 mm
 (Load) : 20 kg
 (Material) : (Cold Rolled Steel)
 (Finish) : (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)





FT2961

27mm Single Extension Ball Bearing Slide




(Width) : 27mm

(Spec.) : 252mm(10") – 502mm(20")

(Load) : 15kg/18"

(Material) : (Cold Rolled Steel)

(Finish) : (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)



LENGTH	SLIDE TRAVEL	A	B	C	D	E	F	G
SIZE (mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
10"	252	156	168	65	64			160
12"	302	214	220	57	96			224
14"	352	250	284	43	64	160		288
16"	402	302	318	93	64	160		288
18"	452	355	283.5	369	68.5	75	139	235
20"	501	362	283.5	419.5	40	64	160	374

FT3967

27mm Keyboard Slide


(Width): 27mm

(Spec.): 358mm (14")

(Load): 20kg

(Material): (Cold Rolled Steel)

(Finish): (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)



FT2355

27mm Double-layer Ball Bearing Slide



(Width): 27mm

(Spec.): 310mm (12")

(Load): 20kg

(Material): (Cold Rolled Steel)

(Finish): (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)





FT3968

27mm Double-Layer Ball Bearing Slide for Trouser Rack



(Width) : 27mm

(Spec.) : 338mm (14") / 437mm (18")

(Load) : 20kg / 18"

(Material) : (Cold Rolled Steel)

(Finish) : (Electroplate) (Blue Zinc) (Colored Zinc) (Electrophoresis) (Black)





FT1645

17mm Single Extension Ball Bearing Slide



(Width) : 17mm

(Spec.) : 182mm-438mm

(Load) : 10kg

(Material) : (Cold Rolled Steel)

(Finish) : (Electroplate) (Blue Zinc)



LENGTH	SLIDE TRAVEL	A	B	C	D	E	F	G	H	H
SIZE (mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)	(mm)
10"	246	170	236	32	64	96	128	160	192	
11"	278	225	268	32	64	96	128	160	192	224
12"	310	257	300	32	64	96	128	160	192	224
18"	450	344	440					197.5		395

FT1493**Powder Coating Drawer Slide**

(Thickness) : 1.0-1.2mm

(Spec.) : 250mm (10") - 600mm (24")

(Load) : 25kg / 18"

(Color) : (White) (Black) (Brown)

**FT1493****Silent Powder Coating Drawer Slide**

(Thickness) : 1.0-1.2mm

(Spec.) : 250mm (10") - 600mm (24")

(Load) : 25kg / 18"

(Color) : (White) (Black) (Brown)

**FT1851****FGV Powder Coating Drawer Slide**

(Thickness) : 1.0-1.2mm

(Spec.) : 250mm (10") - 600mm (24")

(Load) : 25kg / 18"

(Color) : (White) (Black) (Brown)

**FT1851****Wearable Silent Powder Coating Drawer Slide**

(Thickness) : 1.0-1.2mm

(Spec.) : 250mm (10") - 600mm (24")

(Load) : 25kg / 18"

(Color) : (White) (Black) (Brown)



FT2367**86mm Side Plate Slide**

(Width) : 86mm

(Spec.) : 400mm (16") 、 450 (18") 、 500mm (20")

(Color) : (White)

**FT2367****118mm Side Plate Slide**

(Width) : 118mm

(Spec.) : 400mm(16") 、 450(18") 、 500mm(20")

(Color) : (White)

**FT2367****150mm Side Plate Slide**

(Width) : 150mm

(Spec.): 400 mm(16") 、 450(18") 、 500mm (20")

(Color) : (White)




FT2335

Alloy dining table expansion and contraction sheave


Material: Zinc Alloy

Finish: Satin Nickel





FT3973 Anti-Tilt Extension Heavy Duty Slide, with hook fixing function
Width: 53mm, Size: 16" – 24"



FT3975 Steel Chair Ball Bearing Slide, single extension, Width: 45mm, Height: 19mm, Size: 300



FT4059 Steel Ball Bearing Slide, double layer, width: 27mm, with hook fixing, loading rate: 20kg



FT4060 Steel Full Extension Ball Bearing Slide, width: 35mm, loading rate: 35kg



FT4061 Steel Full Extension Ball Bearing Slide, width: 45mm, loading rate: 45kg



FT4062 Steel Ball Bearing Slide, single extension, width: 27mm, loading rate: 20kg



FT4063 Steel Ball Bearing Slide, width: 17mm, loading rate: 10kg




FT4064 Steel Ball Bearing Slide, single extension, width: 27mm, loading rate: 10kg



FT4074 Steel Thicker Support Full Extension, ball bearing slide, width: 45mm, loading rate: 45kg




FT4075 Steel Ball Bearing Slide, width: 27mm, with hook fixing, loading rate: 20kg



FT4143 400 kg Extra Heavy Duty Full Extension Slide, zinc plated, width: 150mm, loading rate: 400kg



FT4159 Automatic Lifting & Falling Slide, Aluminium Alloy, size: 1430mm (extension from 1430mm-1930mm)



FT4160

FT4160 Automatic Lifting & Falling Slide, Aluminium Alloy, size: 960mm (extension from 960mm-1260mm)



FT3947 Full Extension Slide, Finish: Zinc Plated, Size: 10" – 32", Width: 50mm, Loading Capacity: 60kg(18")



FT3907 Soft Closing Full Extension Ball Bearing Slide, Side Fix, Finish: Zinc Plated, Size: 12"-28"



FT4173 800kg Extra Heavy Duty Full Extension Slide, Zinc Plated, Size: 20"-60", Width: 152mm, Connecting Plate Thickness: 3.0mm



FT3864 Heavy Duty Full Extension Slide, Work Hardened Cold Rolled Steel, Width: 53mm, Zinc Plated, Size: 10" – 36", Loading Capacity: 250lbs(18")



FT1432P

with plastic ball bearings

FT1432P Full Extension Plastic Ball Bearing Slide, Side Fix, Finish: Powder Coating



FT4373

FT4373 Full Extension Steel Ball Bearing Slide,
Width: 36mm, Size: 12" – 22"



FT4250

FT4250 Folding Cabinet Support Stay



FT4251

FT4251 Pneumatic Vertical Cabinet Lift-up Stay



FT4249

FT4249 Soft Closing Full Extension Ball
Bearing Slide, Width: 45mm, Size: 12"- 24"



FT4248

FT4248 Steel Upturned Soft Closing Slide,
Zinc plated, Size: 350mm



FT4198

FT4198 Heavy Duty Steel Drawer Slide,
Steel Roller, Size: 14" – 28"